

Attached List 10: Clinic studies on Acupuncture (from 上海针灸杂志 Shanghai Journal of Acupuncture and Moxibustion) (Jan to Aug. 2015)

Part I: More subjective diseases

Author	Diseases	Retaining time	Treatment frequency	Number of sessions	Effective mark	Groups	Number of participants	Before Treatment	After treatment	% improvement
(3) 于树静	Postpartum depression	30 min	30 min	20	HAMD	Oral Fluoxetine	30	28.90	16.5	42.9%
						Thirteen Ghost Points Acup	30	29.83	11.53	61.3%
(4) 金珊珊	Migraine	20 min	Twice a week, continuously for 8 weeks	16	VAS	Acup	35	8.15	4.03	50.6%
						Acup + Shanzhong point, + Cupping	35	8.14	1.74	78.6%
(6) 李永春	Irritable Bowel Syndrome	25 min	5 sessions per week, for 4 weeks	20	Diarrhea severity scale	Oral pinaverium bromide	30	1.25	0.73	41.6%
						Ascending-descending Acupuncture Method Regulation of the Spleen and Stomach	30	1.23	0.23	81.3%
(5) 李雪青	Irritable Bowel Syndrome	30 min	Once every other day, 4 weeks are one course, totally 2 courses	28	Guide of new medicine development	Oral pinaverium bromide	30			
						Acup with Ling Gui Ba Fa technique	30			
(51) 于红娟	postpartum depression	20-30 min	Once a day. 10 sessions are one course. Have a break of 3 day before next course. Totally 6 courses.	60	HAMD	Abdomen Acup	68	3.06	1.67	45.4%

(59) 丛慧芳	Perimenopausal Syndrome	30 min	Once a day. 6 days are a course. Have a break of one day before next course. Totally 12 courses.	72	Kupperman scale	Herbs	30	30.13	10.34	65.7%
						Acup	30	29.56	11.12	62.4%
						Acup+ Herbs	30	28.69	5.9	79.4%
(74) 丁艳	Insomnia	30 min	Once a day. 7 sessions per week. Have a break of 2 days before next course. Totally 4 courses.	28	SAS	Acup	59	69.56	34.79	50.0%
						Acup on origin point and branch points	50	68.24	32.19	52.8%
(75) 储浩然	Irritable Bowel Syndrome	40 min	Once a day. 6 sessions is a course. Have a break of 1 day before next course. Totally 4 courses.	24	Standard of diagnosis and evaluation fo disease treatment (Song Chuangxing)	Acup	45	14.92	5.72	61.7%
						Warm Acup	45	14.79	4.09	72.3%
(78) 鲍春龄	erimenopausal Syndrome	30 min	Once every other day. 3 sessions per week. 12 sessions is a course. Totally 1 course.	12	Kupperman scale	Acup	30	27.97	13.96	50.1%
						Warm Acup	30	28.23	12.13	57.0%
(82) 宋佳杉	Primary Dysmenorrhea	30 min	Once a day for 3 days.	3	Vas	E-Acup on Sanyinjiao point	163	56.22	5.81	89.7%
						E-Acup on Xuanzhong Point	165	59.08	6.08	89.7%
						E-Acup on sham point	164	58.52	7.16	87.8%

(83) 缙燕华	Post-stroke Insomnia		Once a day for 2 weeks.	14	PSQI	Oral zopiclone	30	17	12.9	24.1%
						Acup (Western medicine)	30	16.8	10.2	39.3%
						Acup with Adjusting Ren and Du meridian technique (Western medicine basis)	30	17.2	6.1	64.5%
(84) 林妙君	Post-stroke Depression		Once a day. 6 sessions per week. 2 weeks are a course. Totally 2 courses.	24	HAMD	Oral fluoxetine	29	29.79	26.85	9.9%
						Acup	27	31.78	14.39	54.7%
(89) 史晓岚	Peri-menopausal Depression	30 min	3 sessions per week for 1 month.	12	HAMD	E-Acup on Guanyuan, Sanyinjiao points	30	32.07	11.63	63.7%
						E-Acup on Neiguan, Zusanli points	30	30.2	24.53	18.8%
(90) 孙远征	Peri-menopausal Depression	40 min	Once a day for 6 days, have a break for 1 day. Totally 6 courses.	36	Kupperman	Oral fluoxetine + Acup	30	28.21	25.96	8.0%
						Oral fluoxetine + Acup on Ren-Du Meridian	30	27.79	15.93	42.7%
(94) 邹伟	Anxious Neurosis	50 min	Once a day for 6 weeks	42	HAMA	Acup	29	21.9	17.03	22.2%
						Emotion-balancing Acup	29	22.21	11.17	49.7%
(102) 张玉霞	Post-herpetic Neuralgia	20-30 min	Once a day. 10 sessions are a course.	20	VAS	Ashi point + Fire needle puncture	20	6.25	1.05	83.2%
						Surrounding needle Acup	20	6.8	1.05	84.6%

						Three-edge needle Acup + flash cupping	20	6.6	1.35	79.5%
						Oral Pregabalin	20	6.67	2.85	57.3%
(104) 刘丹	Tobacco Withdrawal Symptoms After Smoke Cessation	30 min	Once a day. 5 sessions per week.	10	Amount of daily smoking	Auricular point pressue	24	12.83	9.98	22.2%
						Acup + auricular press	24	14.62	4.94	66.2%
(112) 辛思源	Primary Dysmeno		This one is one time acupuncture test		RSS	E-Acup on Sanyinjiao points	92	7.18	2.52	64.9%
						E-Acup on Sanyinjiao points	6	10	1.25	87.5%
						E-Acup on Sanyinjiao points	27	8.46	2.5	70.4%
(116) 夏隽晖	Post-stroke Depression	30 min	Once a day. 6 sessions per week for 8 weeks.	48	HAMD score	Sham Acup + fluoxetine + Rehabilitation	48	29.9	19.9	33.4%
						Acup + fluoxetine + Rehabilitation	50	30.5	13.5	55.7%
(119) 梁启东	Stomachache	30 min	Once a day for 14 days.	14	Accumulated mark of symptom and signs.	Herbs	50	7.71	2.33	69.8%
						Linggui Bafa Acup + herbs	50	7.87	1.11	85.9%

(42) 徐华芳	Functional Constipation	30 min	5 sessions per week for 2 weeks. Then 3 sessions per week for 6 weeks. Totally 8 weeks.	28	CCS	Sham E-Acup	30	11.16	7.84	29.7%
						E-Acup	30	10.87	4.32	60.3%
(43) 李瑞芝	Urine Urgency-frequency Syndrome	60 min	Once every other day. Total number of session depends on the improvement.		Bristol scale	E-Acup (less severe cases)	30	17.17	4.31	74.9%
						E-Acup (Severe cases)	30	31.67	7.67	75.8%
(31) 刘立安	Cervical Spondylosis	30 min	Once every other day, 10 sessions are a course. Finished 2 courses.	10	SF-MPQ	E-Acup	30	6.07	2.28	62.4%
(32) 欧阳冷星	Tennis Elbow	30 min	Once a day. 7 sessions are a course. Totally 3 courses. Have a break for 3 days.	21	VAS	Mini Fire-Acup	30	8.5	3.7	56.5%
						Point injection	20	8.8	3.9	55.7%
						E-Acup	30	8.5	6.5	23.5%
(44) 王雪琴		30 min	Once a day. 10 sessions are a course. Totally 2 courses.	20	Dianosis standard for sudden deafness sudden hearing loss	E-Acup	30	68.3	48.17	29.5%
						E-Acup + moxi	30	67.4	38.1	43.5%
(45) 孙懿君	Cervical Spondylotic Radiculopathy	20 min	Once a day. 10 sesions are a course. Totally 2	20	VAS	Neck Jiajia point	100	72.18	39.64	45.1%

			courses.			Fire-technique Acup	100	74.33	17.62	76.3%
(46) 景福权	Cervical Spondylotic Radiculopathy	25 min	Once a day. 5 sessions per week. One week is a course. Totally 2 courses.	10	CSR score	Laser	40	8.1	11.03	24.6%
						Acup	40	6.52	12.55	44.7%
						Acup + laser	40	6.3	14.85	62.4%
(80) 谢炎烽	Acute Gouty Arthritis		Once a day for one week.	6	Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	Oral diclofenac sodium	44	4.29	2.53	41.0%
						Fire needle, cupping, herbs	45	4.28	1.72	59.8%
(65) 茅贝珍	Herpes Zoster	30 min	Once every other day. 10 days are a course.	10	VAS	Ganciclovir	20	5.65	3.25	42.5%
						Around Acup + E-Acup	20	5.7	2.5	56.1%
						Mixed group	20	5.75	2	65.2%
(66) 黄燕	Patellar Chondromalacia	20 min	Once a day. 10 sessions are a course. Tottly 4 courses.	40	VAS	E-Acup on VMO	32	7.42	2.85	61.6%
						E-Acup	20	7.34	5.03	31.5%

(67) 叶必宏	Knee Osteoarthritis	30 min	3 sessions per week for 4 weeks.	12	WOMAC	Xianlinggubao capsule	60	56.6	29.4	48.1%
						Warm E-Acup	60	56.2	20.4	63.7%
(68) 钱山海	Plantar Fasciitis	30 min	Once a day. 10 sessions are a course. Have a break for 3 days before next course. Totally 2 courses.	20	VAS	Warm E-Acup	30	7.84	3.73	52.4%
						Warm E-Acup + herbs	31	7.67	1.62	78.9%
(122) 罗建昌	Cervicogenic Headache	30 min	Once every other day. 3 sessions per week for 2 weeks	6	VAS	E-Acup on Neck Jiaji points	44	3.55	2.52	29.0%
						Nect eight-point Acup + Ashi point	45	3.49	1.89	45.8%
(123) 宫秀丽	Cervicogenic Headache	20 min	Once a day. 10 sessions are a course.	30	Overall evaluation marks	Acup	30	14.35	6.98	51.4%
						Three-step Acup-Cupping therapy	30	14.7	4.02	72.7%
(118) 耿丹	Functional Dyspepsia	30 min	Once a day. 5 sessions are a course. Have a break of 2 days before next course. Totally 4 courses.	20	NDSI score	Lower He point Acup	20	56.55	22.3	60.6%
						Mo point Acup	20	52.9	17.55	66.8%
						Acup with Lower He and Mo points	20	60.9	18.15	70.2%

Part II: More objective diseases

(1) 尹景春	Post-stroke Shoulder-hand Syndrome	20-30 min	Once a day, 12 sessions are a course. Have a bread for 2 to 3 day before next course. Totally 2 coursed	24	VAS	Whole meridians Acup	30	4.97	2.13	57.1%
						Rehabilitation	30	4.63	4.63	0.0%
(2) 田福玲	Post-stroke Hemiplegia	30 min	Once a day, totally 28 days.	28	GAITRite analysis	Ginkgo dipydamolum	30	2.33	1.97	15.5%
						yin-yang acupuncture in association with respiratory reducing-reinforcing	30	2.45	1.88	23.3%
(11) 江红艳	after Surgery for Cervical Spinal Cord Injury	30 min	Once a day, 10 sessions are a course. Totally 8 courses.	80	Frankel scale、Barthel point、FIM	Rehabilitation	30	26.83	48.5	29.6%
						E-Acup + Rehabilitatin	30	28.5	60.5	44.8%
(21) 王玉影	Ischemic Stroke	30 min	Once a day. 14 sessions are a course. Finished 1 course.	14	Clinic evaluation standard of damage of nerve system	Acup	35	21.56	12.36	42.7%
						Acup on Tong Du group	35	21.42	9.58	55.3%
						Oral Tongxinluo capsule	34	22.1	18.87	14.6%

(22) 杨爱国	Motor Dysfunction of Core Muscles in Patients with Post-stroke Hemiplegia	30 min	Once a day. 15 sessions are a course. Have a break of 2 day before next course.	15	ADL scale—Barthel	Bobath therapy	48	38.44	51.35	21.0%
						Plus Abdoman Acup, Scap Acup	48	38.44	63.13	40.1%
(23) 崔薇	polycystic ovarian syndrome	30 min	Once a day for 5 days, have a break for 1 to 2 days until day to collect eggs.	5	Clinic pregnancy rate	COH Therapy	98			44.8%
						COH plus E-Acup	102			53.2%
(26) 张陈麟	Cognitive Function After Operation Under General Anesthesia in the Elderly	20 min	Once a day for 7 days.	7	MMSE	E-Acup on Sham point	35	27.15	18.85	69.4%
						E-Acup on point	35	27.25	24.68	90.6%
(27) 姜磊	Prostatic Hyperplasia	30 min	Once a day. 6 sessions are a course. Have 1 day break before next course. Finished 3 courses.	18	QOL scale	Oral herb capsule	30	4.73	3.07	35.1%
						Acup + Moxi	30	4.27	1.5	64.9%
(28) 李薇薇	Spasmodic Torticollis		Once a day. Have a break on Sundays.		Tsui score	Five-point Acup	15	21	12.2	41.9%
						Plus herbs	15	18.47	10.2	44.8%
(30) 万意佳	Facial Neuritis	120 min	4 sessions per week.	20	Portmann(RPA)	Acup + prednisone	108	4.91	16.89	79.4%

						Thick Acup + prednisone	110	4.56	18.24	88.6%
(35) 萧婷	Motor Dysfunction in Stroke Patients During the Flaccid Paralysis Stage	30 min	Once a day for 6 days, have a break for 1 day. 14 days are a course. Totally 2 courses.	24	Standard mark for diagnosis and effectiveness of treatment of stroke	Acup	30	39.12	62.31	38.1%
						Acup + Jiaji E-Acup	30	38.64	69.32	50.0%
(36) 张燕敏	Post-stroke Strephenopodia	30 min	6 sessions per week, totally 4 weeks	24	Ashworth	Acup + Rehabilitation	35	5.87	13.19	51.8%
						E-Acup + Rehabilitation	35	6.31	18.92	92.1%
(37) 李骁飞	Aphasia after Ischemic Stroke	30 min	Once a day. 5 sessions per week. 2 weeks are a course. Totally 1 course.	20	Scale of oral function (repeat function)	Acup	30	27.53	58.67	43.0%
						tongue-three-needle Acup	30	27.87	69.03	57.1%
(38) 李宝栋	Post-stroke Dysphagia		6 sessions per week, totally 2 weeks	12	Kubota’s water drinking test score	Western medicine	55	3.57	4.09	11.7%
						Acup + Western medicine	55	3.25	4.6	28.4%
(47) 宋雪丰	Post-operation Gluteus Contracture	30 min	Once a day for 90 days.	90	GAITRite analysis	Rehabilitation	30	2.22	1.67	24.8%
						Acup（Fire-Cool technique）	30	2.28	1.23	46.1%

(48) 邓镜明	Knee Osteoarthritis	40 min	Once every other day. 3 sessions per week. One week is a course. Totally 4 courses.	12	VAS	Ibuprofen Sustained Release Capsules	40	6.51	2.56	60.7%
						Moxi	40	6.89	0.98	85.8%
						Warm Acup	40	7.08	1.01	85.7%
(52) 蔡国锋	Deglutition and Pulmonary Infection in Postcerebral Infarction Patients with Tracheotomy and Tracheal Intubation	30 min	Twice a day from Monday to Friday. Once a day on Saturday and Sunday. Continue for 4 weeks.	48	Toshima Ichiro Swallowing Assessment	Western Medicine	20	10.84	3.63	66.5%
						Acup	20	10.6	1.95	81.6%
						Cross E-Acup on neck	19	10.7	1	90.7%
(53) 张倩	Post-cerebral Infarction Shoulder-hand Syndrome	20 min	Once a day. 6 days are one course. Have a break for one day before next course.	24	VAS	Acup + Rehabilitation	30	7.92	4.93	37.8%
						Plus distance point Acup	30	7.84	3.46	55.9%
(55) 周磊	Post-stroke Strephenopodia	25 min	Once a day. 10 days are one course. Totally 2 courses.	20	strephenopodia Scale	Acup	30	34.51	21.48	37.8%
						Rehabilitation	30	35.11	22.11	37.0%
						Acup + Rehabilitation	30	34.43	14.25	58.6%

(57) 王少锦	Lipid Metabolism Dysfunction	20 min	10 sessions are a course. Totally 3 courses.	30	Serum TG level	Western medicine	39	4.03	2.39	40.7%
						Acup + Western Medicine	37	4.06	1.94	52.2%
(58) 赵延红	Hypertension	30 min	Once a day. Continue for 2 weeks as a course.	28	TNF-alfa	Fengchi point Acup.	75	79.68	40.17	49.6%
						Fengchi plus special points Acup	75	81.36	23.25	71.4%
(60) 郑佳	Macular Degeneration	30 min	Tow to three times per week.		Amsler scale	Acup, point injection, flower needle, auricular pressure	37	0.44	0.53	16.1%
(69) 朱润佳	Convalescent Stroke	20 min	Once a day. 4 weeks are a coure. Totally 1 course.	40	MESSS point	Western Medicine	30	21.55	16.35	24.1%
						E-Acup + Western medicine	30	22.4	10	55.4%
(70) 朱仙芬	Cerebral Hematoma	30 min	Twice a day for 30 days.	60		Western Medicine	60	15	6.2	58.7%
						E-Acup + Western medicine	60	15.2	2.1	86.2%
(72) 符文杰	Spastic Cerebral Palsy	15 min	Once every other day. 10 sessions are a	30	GMFM	botulin Injection	30	24.37	36.4	15.9%

			course. Totally 3 courses.			botulin Injection + Acup on Jiaji points + Rehabilitation	30	24.07	42.6	24.4%
(73) 于川	Post-stroke Hypermyotonia	30 -60min	One a day. 5 sessions per week. Totally 4 weeks.	20	CSI score	Acup without retension	30	10.17	8.03	21.0%
						Acup with retension for 30 min	30	10.27	8.27	19.5%
						Acup with retension for 60 min	29	10.66	9.07	14.9%
(77) 夏水渊	Nonalcoholic Fatty Liver Disease	30 min	Once a day. 10 sessions is a course. Have a break of 3-5 day before next course. Totally 6 courses.	60	Serum TG	Oral Silibinin Capsules	65	3.82	1.43	62.6%
						Acup + herbs	67	3.9	1.4	64.1%
s										
(79) 贺君	Chronic Pelvic Inflammation	30 min	Once a day. 5 sessions is a course. Have a break of 2 day before next course. Totally 4 courses.	20	Guideline of clinic development of new herbal medicine (Zheng Xiaoyu)	Acup	30	27.54	17.62	36.0%
						Warm Acup	30	28.13	10.32	63.3%
(81) 路连香	Lumbar Intervertebral Disc Herniation	30 min	Once a day for 14 days.	14	VAS	Oral Celecoxib		7.82	4.35	44.4%
						Acup + Celecoxib		7.56	3.76	50.3%
(85) 黄奏琴	Post-stroke Shoulder-hand	30 min	Once a day. 5 sessions per week for 8 weeks.	40	VAS	Rehabilitation + basic Western medicine	30	6.08	2.52	58.6%

Syndrome						E-Acup, Herbs, cupping, (Western Medicine basis)	30	5.06	1.84	63.6%
(86) 王英姿	Post-stroke Upper-limb Spasm	30 min	Once a day. 5 sessions per week for 4 weeks.	20	shworth scale	Western medicine basis	45	11.67	19.02	19.2%
						E-Acup on antagonistic muscle	45	13.85	28.02	39.2%
						E-Acup on antagonistic muscle + Nerve stem stimulation	45	12.08	39.18	71.5%
(87) 王文熠	Post-stroke Strephenopodia	30 min	Once a day, 14 days are a course. Totally 2 courses.	28	strephenopodia Scale	Acup	20	29.8	22.1	25.8%
						Penetrating Acup group 1	21	30.1	14.48	51.9%
						Penetrating Acup group 2	21	31.05	17.62	43.3%
						Penetrating Acup group 3	21	29.9	21.52	28.0%
(88) 王宏玉	Functional Dyspepsia		Once a day. 8 sessoins are a course. Have a break for 2 days before next course. Totally 4 weeks.	32	Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	domperidone	33	2.58	1.74	32.6%
						Stragety Acup	35	2.41	0.79	67.2%
(91) 盛昭园	Ocular Myasthenia Gravis	30 min	Once every other day for 6 weeks.	21	Clinic evaluation of myasthenia gravis	Oral pyridostigmine bromide + herbs	35	12.03	7.01	41.7%

						Oral pyridostigmine bromide + Acup	35	12.06	5.37	55.5%
(93) 谢安树	Cerebral Palsy-salivation	30 min	Once a day for 10 to 20 days.	20	TCD	Rehabilitation + Herb application	24	1.02	0.9	11.8%
						Plus Acup and Tuina	24	1.19	1.05	11.8%
(96) 巩凤梅	Cervical Vertigo	30 min	Once a day. 6 sessions are a course. Totally 2 courses.	12	Evaluation Scale of cervical vertigo	Acup	30	25.57	39.3	18.4%
						Plus Be-needle Acup	30	25.92	43.9	24.3%
(98) 闫兵	Post-stroke Shoulder-hand Syndrome	30 min	Once a day for 2 weeks.	14	VAS	Acup	30	6.47	4.71	27.2%
						Jin-three-needle acup + Jin Points	30	6.43	3.55	44.8%
(99) 郑利群	Transient Ischemic Attack		Once a day for 14 days.	14	Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	TIA conventional treatmens	30	16.53	8.35	49.5%
						TIA conventional treatment + Acup	30	16.33	5.46	66.6%
(100) 李作伟	Post-stroke Myodystonia	30 min	Once a day. 6 sessions per week for 30 days.	24	CSI score	Nourishing Yang and depleting Yin technique + Opposing Acup	30	2.43	1.47	39.5%

						Acup + Opposing Acup	30	2.47	1.8	27.1%
						Acup with Nourishing Yang and depleting Yin technique	30	2.43	1.77	27.2%
						Acup	30	2.63	2.07	21.3%

(103) 侯加运	Deglutition Disorders after Radiotherapy of Nasopharyngeal Carcinoma	30 min	Once a day. 5 sessions per week for 4 weeks.	20	Kubota’s water drinking test score	Rehabilitation	20	4.05	3.35	17.3%
						E-Acup + rehabilitation	20	4.05	2.65	34.6%

(105) 徐国峰	Primary Hypertension		This one is one time acupuncture test		Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	Under tongue captopril	34	0.56	0.15	73.2%
						Acup using Blood pressure-reducing point and headache-reducing points.	48	0.79	0.21	73.4%

(106) 王健	Allergic Rhinitis	30 min	Once a day. 10 days are a course. Have one day break before next course. Totally 3 courses.	30	Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	Acup + herbs	45	6.55	3.87	40.9%
						Acup	45	6.26	4.69	25.1%
						Herbs	45	6.34	4.54	28.4%

(107) 范新华	Chronic Simple Rhinitis	30 min	Once a day for one week.	7	Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	Cefuroxime	40	14.98	7.93	47.1%
						Acup + Hot-sensentive moxibustion	40	15.29	2.79	81.8%

(108) 邓赛男	Cervical Spondylosis of Nerve Root Type	30 min	Once a day. 10 days are a course. Have 2 day break before next course. Totally 2 courses.	20	Accumulated mark of symptom and signs.	Acup	30	12.1	6.37	47.4%
						Acup on "happy moxibustion"	30	11.3	4.1	63.7%
(113) 崔乐乐	Vascular Dementia	40 min	Once a day and 6 sessions per week. 2 weeks are a course. Totally 2 courses.	24	ADL	Oral Nimodipine	30	5.3	3.65	31.1%
						Acup on Du meridian + Nimodipine	30	4.87	2.61	46.4%
(115) 王琪	Post-stroke Deglutition Disorders	30 min	Once a day for 28 days.	28	Kubota's water drinking test score	Rehabilitation	45	4	3	25.0%
						Acup on Channal-opening technique	46	4	2	50.0%
(117) 刘卫星	Post-stroke Urinary Retention		Once a day for 28 days.	28	Remaining volume of urine	Warm Acup (with moxibustion)	35	2.8	1.8	35.7%
						Warm Acup + point injection	35	2.4	0.7	70.8%
(124) 费远丽	Abducens Paralysis	30 min	Once a day. 12 days are a course. Have a break of 2 day before next course.	24	slant visibility mark	Acup	43	18.37	14.14	23.0%
						Acup + lateral rectus acup point	43	19.23	11.23	41.6%

(127) 段娜	Knee Osteoarthritis	30 min	Once every other day. 10 sessions are course. Have a break of 1 day each week. Totally 3 courses.	30	WOMA	Warm Acup	46	68.91	45.59	33.8%
						Warm Acup + three color herb application on the knee	45	70.37	36.45	48.2%

(128) 范春兰	Tenosynovitis of Long Head of Biceps Brachii	30 min	3 sessions per week. 4 weeks are a course.	12	SPADI	Warm Acup	43	27.14	16.53	39.1%
						Fire Acup + Warm Acup	45	29.13	13.22	54.6%

(114) 田莉	Post-stroke Aphasia	30 min	Once a day. 6 sessions are a course. Have 1 day break before next coursed. Totally 5 courses.	30	AQ score	Acup + Rehabilitation	30	41.61	77.1	60.8%
						Acup	30	42.96	65.62	39.7%
						Rehabilitation	30	42.89	68.89	45.5%