

Attached list 20a (different acupuncture technique)

Author	Disease	Index	Acup	Acup retention time	Number of participants	Before Acup	After Acup	Improvement rate
胡国强 (1992)	Stroke	Cure rate	Twice a day	Special Acup	30			76.7%
				Acup	30			36.7%
袁霞 (2004)	Stroke	Clinic effect scale	Twice a day for average 20 sessions	Special Acup	85		Cure rate	18.8%
							Much improve rate	22.4%
							Improve rate	51.8%
丁淑强 (2004)	Watt's syndrome	Clinic effect scale	Twice a day for 45 days	Special Acup	32		Cure rate	6.3%
							Much improve rate	56.3%
							Improve rate	31.3%
申奥 (2005)	Acute cerebral infarct	Cure rate	Twice a day for 14 days	Special Acup	200			61.0%
					180			33.3%
王明佳 (2006)	Stroke		Twice a day for 5 day a week, total for 4 weeks	Special Acup	52		Cure rate	19.2%
							Much improve rate	23.1%
							Improve rate	50.0%
熊杰 (2006)	Far-early stage of acute cerebral infarct	Nerve function defect score	Twice a day for 20 days.	Special Acup	30	19	8.96	52.8%
				Conventional medicine	30	21.63	16.76	22.5%
曾学清 (2006)	Stroke	Brunnstrom Scale	Once a day from Monday to Friday.	Special Acup	60			
				Rehabilitation	60			

10 sessions are a course. For 2 courses.								
张培东 (2006)	Drowsiness			Special Acup	78	Cure rate	52.6%	
						Much improve rate	32.1%	
						Improve rate	15.4%	
刘兰兰 (2007)	Dysphagia after stroke	Total effective rate		Special Acup + medicine	21		92.5%	
				Medicine	9		60.0%	
罗红昱 (2008)	Stroke	Effecive scale	Twice a day. 10 sessions are a course. Continue for 3 to 5 courses.	Special Acup	82	Cure rate	27.4%	
						Much improve rate	36.8%	
						Improve rate	34.0%	
邓红旗 (2007)	Stroke	Cure rate	Once a day. 10 sessions are a course.	Special Acup	45		55.6%	
				Acup	40		45.0%	
刘淹清 (2008)	hysteria	Cure rate	Once a day. 10 sessions are a course.	Special Acup	72		82.1%	
郭晓艳 (2013)	Hand with wilt after stroke	Improve rate	Once a day for 40 days	Special Acup	32	Much improved	34.4%	
						Improved	56.2%	
						No effect	9.4%	
蒙树煜 (2006)	Cerebral infarction	NDS scale	Twice a day for 15 days	Special Acup	32	27.3	7.4	72.9%
				Acup	31	26.3	13.2	49.8%

倪丽伟 (2011)	Acute cerebral infarction	CSS Scale	Once a day for 4 weeks	Special Acup	144	18.5	9.4	49.2%
				non-acup point acup	143	17.88	13.09	26.8%
石学敏 (2005)	Stroke	Effective rate	10 days are a course.	Special Acup	9005	Cure rate		59.3%
						Much improve rate		23.2%
						Improve rate		16.1%
						No effect		0.4%
						died		1.0%
申鹏飞 (2005)	Depression after stroke	Total effective rate	Once a day for 30 days	Special Acup	180	72.80%		
				Western medicine	76	56.60%		
赵红 (2003)	Depression after stroke	HAMD	Once a day for 8 weeks	Special Acup	50	23.1	10.2	55.8%
				Fluoxetine	50	21.8	18.3	16.1%
王锋 (2015)	Restless Legs Syndrom		Once a day. 10-day is once session for 3 sessions	Special Acup	30	Cure rate		16.7%
						Much improve rate		33.3%
						Improve rate		43.3%
						No effect		6.7%
王晓燕 (2006)	Persistent vegetative state after brain injury	Cure rate	Once a day for 30 days	Special Acup	19	36.80%		
				Western medicine	19	10.50%		
朱仡 (2013)	Infantile enuresis	Cure rate	Once a day for 20 days	Special Acup	39	57.89%		
				Regular Acup	38	28.21%		

刘静 (2013)	ADHD	Total effective rate	Three times a week for 3 months	Special Acup	120				89.20%
				Ritalin	80				78.80%
朱崇田 (2008)	Persistent vegetative state	PVS scale		Special Acup	12	4	9.5	68.8%	
				E-Acup	12	4.58	7.75	42.7%	

Special acupuncture technique: Mind-awaking-sense-sharping technique.
E-Acup: electric acupuncture.
Acup: acupuncture